



Sierra Valley Groundwater Sustainability Plan (SVGSP)
Technical Advisory Committee (TAC) and Community Meeting

SVGSP Technical Advisory Committee & Community Meeting AGENDA

Monday, February 9, 2026, from 3:00 – 5:30 p.m.
Sierra Christian Church – 81059 Highway 70, Beckwourth

***NOTE Agenda items and times are approximate and may shift during the meeting.*

Meeting Goals:

- ✓ Briefly review the Sustainable Groundwater Management Act (SGMA) and status of the SVGSP.
- ✓ Describe and discuss Projects and Management Actions (PMAs) and estimated groundwater benefits.
- ✓ Recap current and discuss future SVGSP implementation activities.

| ITEM | TIMES | CONTENT |
|-------------------|-----------|---|
| 1 | 3:00 p.m. | Welcome, Introductions, and Agenda Review |
| 2 | 3:05 p.m. | Review: Where We've Been <ul style="list-style-type: none"> • SGMA legislation, basin designations, and requirements • Sierra Valley Groundwater Sustainability Plan (SVGSP) – adopted January 2022 <ul style="list-style-type: none"> – GSP development and TAC meetings – Status: Dept. of Water Resources (DWR) review, approval, and corrective actions • Q&A |
| 3 | 3:20 p.m. | GSP Implementation and Current Conditions: Where We Are Now <ul style="list-style-type: none"> • Projects and Management Actions (PMAs) <ul style="list-style-type: none"> – Filling Data Gaps <ul style="list-style-type: none"> ○ Expansion of monitoring network, including water quality ○ Well inventory ○ Interconnect Surface Water and Groundwater-Dependent Ecosystems – Direct Groundwater Recharge |
| <i>4:10 (ish)</i> | | <i>Break</i> |
| 4 | 4:25 p.m. | GSP Implementation and Current Conditions (PMAs) cont'd. <ul style="list-style-type: none"> – Conjunctive Use (in-lieu recharge) – Agricultural Irrigation Efficiency • Recent and Current Groundwater Use and Conditions • Outreach and Engagement During SVGSP Implementation • Q&A |
| 5 | 5:10 p.m. | GSP Implementation: Looking Forward <ul style="list-style-type: none"> • Five-Year Periodic GSP Evaluation • GSP Annual Reports by Water Year • Next Steps: monitoring analysis, evaluating results, and additional PMA implementation |
| 6 | 5:30 p.m. | Adjourn |